

No. 135 July/August/September 2013

HEADLINES

TO KEEP IN MIND

Adaptations in terms of radioprotection and consequences for access to dosimetric data

The regulatory changes relating to radioprotection lead to questions relating to patient confidentiality and the role of the person responsible for radioprotection.

Questionnaire to assess whether an INRS training programme on "Occupational allergies" is of interest This short questionnaire is also available on-line, and will be used to gather information on what occupational health care professionals expect from a training programme relating to occupational allergies.

Decree of 6 May 2013 relating to agricultural work requiring increased medical monitoring

This relates to work for which specific requirements or risks exist. The decree of 20 October 2004 is abrogated.

Decree of 20 June 2013 setting out the model for the aptitude for work form (131)

As a result of changes to regulations, in particular relating to increased medical monitoring, the model for the aptitude for work form has been modified.

Decree No. 2013-607 of 9 July 2013 relating to protection against biohazards, to which some workers may be exposed due to sharps, modifying the provisions relating to the protection of those working in hyperbaric medicine

This text transposes the European directive on the prevention of injuries by sharps in the hospital and care settings.

INRS INNOVATIONS

CONTRIBUTE TO RESEARCH

KNOWLEDGE AND REFERENCES

BROAD VIEW

Idiopathic environmental intolerance attributed to electromagnetic fields

Presentation of the clinical symptoms and management of this syndrome in an occupational setting, after a summary of the main physical characteristics of non-ionising radiation.

FIELD VIEW

Exposure of interventional radiology practitioners: added value of capillaroscopy

Morphological alterations to capillaries suggest that systematic monitoring of the extremities in these professionals and a reduction of exposure could be useful.

Inaptitude for work due to mental distress in the workplace: frequency and accessibility of psychosocial risk prevention

A retrospective study identifies the frequency of the psychosocial risk factors leading to inaptitude for work, and the factors for which preventive action could have been taken

SUMER: exposure to chemical carcinogens in 2010

Around 10% of workers are exposed to chemical carcinogens, mostly manual labourers and workers in the maintenance and construction sectors.

PRACTICES AND PROFESSIONS

Literature search on the risks linked to ionising radiation

This article provides a selection of the most relevant information and presents a method to research the risks linked to ionising radiation.

Suicide and suicidal behaviour. Identification and perspectives for management

How to identify and assess this behaviour, and availability of a specialised care network allowing rapid, appropriate orientation of the worker in distress.

FOLLOWED FOR YOU

Sick leave: from analysis to returning to work

Absenteeism is an indicator of how companies function. This seminar, organised by the Institut national de médecine agricole, establishes a technical-medical and sociological panorama of sick leave.

Prevention of infections passed from mother to child

Occupational health professionals should be aware of how to prevent and manage the infections affecting pregnancy.

Occupational allergies. INRS 2013 conference on research into occupational health

Allergies are invalidating diseases which are often underestimated. Advances in epidemiology, toxicology, immunology, metrology and prevention were discussed during this conference.

CLOSE-UP

Infectious risks linked to laser smoke: example of human papillomavirus

Medical personnel may be exposed to this virus by inhalation of surgical smoke. The results of a survey were used to identify preventive options.

REFERENCE TOOLS

PSYCHOSOCIAL HAZARDS

Ways of Coping Checklist (WCC)

This tool can be used to measure adaptation or adjustment strategies implemented in response to a stressful event or situation.

VT (Vécu du travail) questionnaire

This questionnaire assesses the psychosocial impact of work and occupational stress.

YOUR OUESTIONS/OUR ANSWERS

Working on a screen measuring less than 13 inches

The use of small screens is increasingly common. It can lead to postural constraints and visual fatigue.

First aid at work specialists and hypoglycaemia

When confronted with a diabetic worker under insulin treatment in a hypoglycaemic state with loss of consciousness, can the first aid at work specialist administer subcutaneous glucagon?

Occupational massages using essential oils

What are the reprotoxic risks run by a pregnant beautician who uses essential oils as part of her work?

WITH OUR COMPLIMENTS

DATES FOR YOUR DIARY

TRAINING

FOR YOUR PERUSAL

Selection of books and articles

LEGAL

Official texts relating to occupational health and safety, published between 1st April and 15th July 2013